

401 KAR 50:015. Documents incorporated by reference.

NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION CABINET
Department for Environmental Protection
Division for Air Quality

RELATES TO: KRS 224.320, 224.330, 224.340

PURSUANT TO: KRS 224.033

NECESSITY AND FUNCTION: KRS 224.033 requires the Natural Resources and Environmental Protection Cabinet to prescribe regulations for the prevention, abatement, and control of air pollution. This regulation provides for the incorporation by reference of documents referred to within these regulations.

Section 1. Code of Federal Regulations.

- (1) The following documents from the "Code of Federal Regulations" which are in effect as of October 1, 1987, are incorporated herein by reference:
 - (a) 40 CFR 50:
 1. Appendix A: Reference Method for the Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline Method).
 2. Appendix B: Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere (High Volume Method).
 3. Appendix C: Measurement Principle and Calibration Procedure for the Measurement of Carbon Monoxide in the Atmosphere (Non-Dispersive Infrared Photometry).
 4. Appendix D: Measurement Principle and Calibration Procedure for the Measurement of Ozone in the Atmosphere.
 5. Appendix E: Reference Method for the Determination of Hydrocarbons Corrected for Methane.
 6. Appendix F: Measurement Principle and Calibration Procedure for the Measurement of Nitrogen Dioxide in the Atmosphere (Gas Phase Chemiluminescence).
 7. Appendix G: Reference Method for the Determination of Lead in Suspended Particulate Matter Collected from Ambient Air.
 8. Appendix H: Interpretation of the National Ambient Air quality Standards for Ozone.
 9. Appendix J: Reference Method for the Determination of Particulate Matter as PM₁₀ in the Atmosphere.
 10. Appendix K: Interpretation of the National Ambient Air Quality Standards for Particulate Matter.
 - (b) 40 CFR 58: Appendix B: Quality Assurance Requirements for Prevention of Significant Deterioration (PSD) Air Monitoring.
 - (c) 40 CFR 60:
 1. Appendix A: Reference Methods:
 - a. Method 1 - Sample and Velocity Traverses for Stationary Sources.
 - b. Method 2 - Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube).

- c. Method 2A - Direct Measurement of Gas volume through Pipes and Small Ducts.
- d. Method 2B - Determination of Exhaust Gas Volume Flow Rate from Gasoline Vapor Incinerators.
- e. Method 3 - Gas Analysis for Carbon Dioxide, Oxygen, Excess Air, and dry molecular weight.
- f. Method 3A - determination of oxygen and carbon dioxide concentrations in emissions from stationary sources (instrumental analyzer procedure).
- g. Method 4 - Determination of moisture content in stack gases.
- h. Method 5 - Determination of particulate emissions from stationary sources.
- i. Method 5A - determination of particulate emissions from the asphalt processing and asphalt roofing industry.
- j. Method 5B - Determination of Nonsulfuric Acid Particulate Matter from Stationary Sources.
- k. Method 5D - determination of particulate matter emissions from positive pressure fabric filters.
- l. Method 5E - determination of particulate emissions from the wool Fiberglass insulation manufacturing industry.
- m. Method 5F - Determination of Nonsulfate Particulate Matter from Stationary Sources.
- n. Method 6 - determination of sulfur dioxide emissions from stationary sources.
- o. Method 6A - Determination of sulfur dioxide, moisture, and carbon dioxide emissions from fossil fuel combustion sources.
- p. Method 6B - determination of sulfur dioxide and carbon dioxide daily average emissions from fossil fuel combustion sources.
- q. Method 6C - determination of sulfur dioxide emissions from stationary sources (instrumental analyzer procedure).
- r. Method 7 - Determination of nitrogen oxide emissions from stationary sources.
- s. Method 7A - Determination of nitrogen oxide emissions from stationary sources -- ion chromatographic method.
- t. Method 7B - determination of nitrogen oxide emissions from stationary sources (ultraviolet spectrophotometry).
- u. Method 7C - determination of nitrogen oxide emissions from stationary sources -- alkaline -

permanganate/colorimetric method.

- v. Method 7D - Determination of nitrogen oxide emissions from stationary sources -- alkaline - permanganate/ion chromatographic method.
- w. Method 7E - Determination of nitrogen oxides emissions from stationary sources (instrumental analyzer procedure).
- x. Method 8 - determination of sulfuric acid mist and sulfur dioxide emissions from stationary sources.
- y. Method 9 - visual determination of the opacity of emissions from stationary sources.
- z. Method 10 - determination of carbon monoxide emissions from stationary sources.
- aa. Method 10A - Determination of Carbon Monoxide Emissions in Certifying Continuous Emission Monitoring Systems at Petroleum refineries.
- bb. Method 11 - determination of hydrogen sulfide content of fuel gas streams in petroleum refineries.
- cc. Method 12 - determination of inorganic lead emissions from stationary sources.
- dd. Method 13A - determination of total fluoride emissions from stationary sources - SPADNS zirconium lake method.
- ee. Method 13 B - determination of total fluoride emissions from stationary sources - specific ion electrode method.
- ff. Method 14 - determination of fluoride emissions from potroom roof monitors of primary aluminum plants.
- gg. Method 15 - determination of hydrogen sulfide, carbonyl sulfide, and carbon disulfide emissions from stationary sources.
- hh. Method 15A - determination of Total Reduced Sulfur Emissions from Sulfur Recovery Plants in Petroleum Refineries.
- ii. Method 16 - semicontinuous determination of sulfur emissions from stationary sources.
- jj. Method 16A - determination of total reduced sulfur emissions from stationary sources (impinger technique).
- kk. Method 16B - determination of Total Reduced sulfur emissions from Stationary sources.
- ll. Method 17 - determination of particulate emissions from stationary sources (instack filtration method).
- mm. Method 18 - measurement of gaseous organic compound

emissions by gas chromatography.

- nn. Method 19 - determination of sulfur dioxide removal efficiency and particulate, sulfur dioxide and nitrogen oxides emissions rates from electric utility steam generators.
 - oo. Method 20 - determination of nitrogen oxides, sulfur dioxide, and diluent emissions from stationary gas turbines.
 - pp. Method 21 - determination of volatile organic compounds leaks.
 - qq. Method 22 - visual determination of fugitive emissions from material processing sources.
 - rr. Method 24 - determination of volatile matter content, water content, density, volume solids, and weight solids of surface coatings.
 - ss. Method 24A - determination of volatile matter content and density of printing inks and related coatings.
 - tt. Method 25 - determination of total gaseous nonmethane organic emissions as carbon.
 - uu. Method 25 A - determination of total gaseous organic concentration using a flame ionization analyzer.
 - vv. Method 25B - determination of total gaseous organic concentration using a nondispersive infrared analyzer.
 - ww. Method 27 - determination of vapor tightness of gasoline delivery tank using pressure-vacuum test.
- 2. Appendix B: Performance specifications:
 - a. Performance specification 1 - specifications and test procedures for opacity continuous emission monitoring systems in stationary sources.
 - b. Performance specification 2 - specifications and test procedures for sulfur dioxide and nitric oxides continuous emission monitoring systems in stationary sources.
 - c. Performance specification 3 - specifications and test procedures for oxygen and carbon dioxide continuous emission monitoring systems in stationary sources.
 - d. Performance specification 4 - specifications and test procedures for carbon monoxide continuous emission monitoring systems in stationary sources.
 - e. Performance specification 5 - specifications and test procedures for TRS continuous emission monitoring systems in stationary sources.
 - 3. Appendix C: Determination of emission rate change.
 - 4. Appendix F: Quality Assurance Procedure 1 - Quality Assurance Requirements for Gas Continuous Emission

Monitoring Systems Used for Compliance Determination.

(d) 40 CFR 61:

1. Appendix B: Test Methods:

- a. Method 101 - determination of particulate and gaseous mercury emissions from chlor-alkali plants (air streams).
- b. Method 101A - determination of particulate and gaseous mercury emissions from sewage sludge incinerators.
- c. Method 102 - determination of particulate and gaseous mercury emissions from chlor-alkali plants (hydrogen streams).
- d. Method 103 - beryllium screening method.
- e. Method 104 - reference method for determination of beryllium emissions from stationary sources.
- f. Method 105 - method for determination of mercury in wastewater treatment plant sewage sludges.
- g. Method 106 - determination of vinyl chloride from stationary sources.
- h. Method 107 - determination of vinyl chloride content of inprocess wastewater samples, and vinyl chloride content of polyvinyl chloride resin, slurry, wet cake, and latex samples.
- i. Method 107 A - determination of vinyl chloride content of solvents, resin-solvent solution, polyvinyl chloride resin, resin slurry, wet resin, and latex samples.
- j. Method 108 - determination of particulate and gaseous arsenic emissions.
- k. Method 108A - determination of particulate and gaseous arsenic emissions.
- l. Method 111 - determination of polonium - 210 emissions from stationary sources.

2. Appendix C: Quality assurance procedures:

- a. Procedure 1 - determination of adequate chromatographic peak resolution.
- b. Procedure 2 - procedures for field auditing GC analysis.

(2) Copies may be obtained from: Office of the Federal Register, National Archives and Records Service, 8th and Pennsylvania Avenue, NW, Washington, D.C. 20408; Phone (202) 523-5215.

Section 2. Association of Official Analytic Chemists. The following document from the Association of official analytical chemists is incorporated herein by reference.

(1) Method 9 - Spectrophotometric Molybdovanadophosphate from "Official

Method of Analysis" of the association of official analytic chemists, 11th edition.

- (2) Copies may be obtained from: Association of Official Analytical Chemists, Box 540, Benjamin Franklin Station, Washington, D.C. 20014; Phone (202)245-1191.

Section 3. American Society for Testing and Materials. The following documents from the appropriate "Book of ASTM Standards" in which the standard appears from the American Society for Testing and Materials are incorporated herein by reference:

- (1) ASTM Standards:
 - (a) A 99-66(71) standard specification for ferromanganese.
 - (b) A 100-69(74) standard specification for ferrosilicon.
 - (c) A 101-73 standard specification for ferrochromium.
 - (d) A 482-66(71) standard specification for ferrochrome- silicon.
 - (e) A 483-64(74) standard specification for silicomanganese.
 - (f) A 495-64(70) standard specification for calcium-silicon and calcium-manganese-silicon.
 - (g) D 86-82 standard method for distillation of petroleum products.
 - (h) D 240-76 standard test method for heat of combustion of liquid hydrocarbon fuels by bomb calorimeter.
 - (i) D 322-67(77) Standard test method for gasoline diluent in used gasoline engine oils by distillation.
 - (j) D 323-82 Standard Specifications for Fuel Oils.
 - (k) D 388-82 standard specification for classification by coals by rank.
 - (l) D 396-84 Standard Specifications for Fuel Oils.
 - (m) D 737-75 standard test method for air permeability of textile fabrics.
 - (n) D 1072-80 standard method for total sulfur in fuel gases.
 - (o) D 1137-53(75) standard method for analysis of natural gases and related types of gaseous mixtures by the mass spectrometer.
 - (p) D 1475-60(80) standard test method for density of paint, varnish, lacquer, and related products.
 - (q) D 1644-75 standard test methods for nonvolatile content of varnishes.
 - (r) D 1826-64(75) standard test method for calorific value of gases in natural gas range by continuous recording calorimeter.
 - (s) D 1945-64(73) standard method for analysis of natural gas by gas chromatography.

- (t) D 1946-67(72) standard method for analysis of reformed gas by gas chromatography.
 - (u) D 2015-66(72) standard test method for gross calorific value of solid fuel by the adiabatic bomb calorimeter.
 - (v) D 2265-83 Standard test method for aromatics in light naphthas and aviation gasolines by gas chromatography.
 - (w) D 2369-73 standard test method for volatile content of paints.
 - (x) D 2382-83 standard test method for heat of combustion of hydrocarbon fuels by bomb calorimeter (high-precision method).
 - (y) D 2504-83 standard test method for noncondensable gases in C₃ and lighter hydrocarbon products by gas chromatography.
 - (z) D 2584j-68(79) standard test method for ignition loss of cured reinforced resins.
 - (aa) D 2880-78 standard specification for gas turbine fuel oils.
 - (bb) D 2879-83 standard test method for vapor pressure- temperature relationship and initial decomposition temperatures of liquids by isoteniscope.
 - (cc) D 3031-81 standard test method for total sulfur in natural gas by hydrogenation.
 - (dd) D 3176-74 standard method for ultimate analysis of coal and coke.
 - (ee) D 3178-73 standard test methods for carbon and hydrogen in the analysis sample of coal and coke.
 - (ff) D 3246-81 standard method for sulfur in petroleum gas by oxidative microcoulometry.
 - (gg) D 3421-80 Test Method for Trace Nitrogen in Liquid Petroleum Hydrocarbons.
 - (hh) D 4084-82 Standard method for analysis of hydrogen sulfide in gaseous fuels (lead acetate reaction rate method).
 - (ii) E 123-78 Standard specification for apparatus for determination of water by distillation.
 - (jj) E 168-67(77) standard recommended practices for general techniques of infrared quantitative analysis.
 - (kk) E 169-63(81) standard recommended practices for general techniques of ultraviolet quantitative analysis.
 - (ll) E 260-73 Standard recommended practice for general gas chromatography procedures.
- (2) Copies may be obtained from: American Society for Testing Materials, 1916 Race Street, Philadelphia, Pennsylvania 19103; Phone (215) 299-5400.

Section 4. Technical Association of the Pulp and Paper Industry. The following document from the Technical Association of the Pulp and Paper

Industry (TAPPI) is incorporated herein by reference:

- (1) T624 os-68--Analysis of Soda and Sulfate - White and Green Liquors. This reference is also numbered ANSI P3.6-1970 (American National Standards Institute)
- (2) Copies may be obtained from: TAPPI, 1 Dunwoody Park, Atlanta, GA 30341.

Section 5. Environmental Protection Agency. The following documents from the U.S. Environmental Protection Agency are incorporated herein by reference:

- (1)
 - (a) Guideline on Air Quality Models (Revised), EPA-450/2- 78-027R, OAQPS No. 1.2-080R, July, 1986, and Supplement A to the Guideline on Air Quality Models (Revised), July 1987.
 - (b) Workbook for Comparison of Air Quality Models, EPA- 450/2-78-028a, OAQPS No. 1.2-097, May, 1978.
 - (c) Control of volatile organic compound leaks from petroleum refinery equipment, Appendix B, EPA-450/2-78-036, OAQPS No. 1.2-111, June, 1978.
 - (d) Control of Volatile Organic Compound Leaks from Gasoline Tank Trucks and Vapor Collection Systems, EPA-450/2-78-051, OAQPS No. 1.2-119, December, 1978.
 - (e) Control of Hydrocarbons from Tank Truck Gasoline Loading terminals, EPA-450/2-77-026, OAQPS No. 1.2-082, October, 1977.
 - (f) Guidelines for use of fluid modeling to determine good engineering practice stack height, EPA 450/4-81-003, PB 82- 145327, July, 1981.
 - (g) Guidelines for fluid modeling of atmospheric diffusion, EPA-600/8-81-009, PB 81-201410, . April, 1981.
- (2) Copies may be obtained from: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, North Carolina 27711 and the U.S. Department of Commerce, National Technical Information Service, Springfield, Virginia 22161.

Section 6. American Association of State Highway and Transportation Officials. The following document from the American Association of State Highway and Transportation Officials (AASHTO) is incorporated herein by reference:

- (1) AASHTO T 59-78 standard method of test for testing emulsified asphalt.
- (2) Copies may be obtained from: American Association of State Highway and Transportation Officials, 444 N. Capital Avenue, Washington, D.C. 20001.

Section 7. Federal Test Method Standard. The following document from the Federal Test Standard is incorporated herein by reference:

- (1) Federal Test Method Standard No. 141a, Method 4082.1, "Water in Paints and Varnishes (Karl Fischer Titration Method)."
- (2) Single copies may be obtained from:
 - (a) General Services Administration Regional Offices; or

- (b) Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

Section 8. Kentucky Division of Air Pollution. The following documents from the Kentucky Division of Air Pollution are incorporated herein by reference:

- (1) (a) Kentucky Method 50: Kentucky division of Air Pollution Control Reference Method 50, "Determination of Total Particulate Emissions from Stationary Sources."
 - (b) Kentucky Method 90: Kentucky Division of Air Pollution Control Reference Method 90, "Determination of total gaseous organic emissions from stationary sources."
 - (c) Kentucky Method 91: Kentucky division of air pollution control reference method 91, "Alternate test method for the determination of total gaseous organic emissions from stationary sources."
 - (d) Kentucky Method 95: Kentucky Division of Air Pollution Control Reference Method 95, "Determination of Gasoline Vapor Emissions from Bulk Terminals."
 - (e) Kentucky Method 130: Kentucky Division of Air Pollution Control Reference Method 130, "Determination of Gaseous Fluoride Emissions from Stationary Sources."
 - (f) Kentucky Method 150(F-1): Kentucky Division of Air Pollution Control Reference Method 150(F-1), "Visual Determination of Intermittent Opacity Emissions from Stationary sources."
- (2) Copies may be obtained from: Division of Air Pollution, Technical Services Branch, Department for Environmental Protection, Fort Boone Plaza, 18 Reilly Road, Frankfort, Kentucky 40601.

Section 9. American National Standards Institute. The following document from the American National Standards Institutes is incorporated herein by reference:

- (1) Voluntary Product Standard PS 59-73 - Prefinished Hardboard Paneling. The reference is also numbered ANSI A135.5-1973 (American National Standards Institute).
- (2) Copies may be obtained from: American National Standards Institute, 1430 Broadway, New York, New York 10018.

Section 10. American Public Health Association. The following document from the American Public Health Association, American Water Works Association and Water Pollution Control Federation is incorporated herein by reference:

- (1) Standard Methods for the Examination of Water and Wastewater, 15th Edition, 1980:
 - (a) Method 209A. Total Residue Dried at 103-105C.
 - (b) Method 209C. Total Filterable Residue Dried at 103-105C.
- (2) Copies may be obtained from: American Public Health Association, 1015 Fifteenth Street, N.W., Washington, D.C. 20005.

Section 11. American Petroleum Institute. The following document from the American Petroleum Institute is incorporated herein by reference:

- (1) API Publication 2517, Evaporation Loss from External Floating Roof Tanks, Second Edition, February 1980.
- (2) Copies may be purchased from: American Petroleum Institute, 1220 L Street N. W., Washington, D.C. 20005.

Section 12. Availability. Copies of the material incorporated by reference in this regulation shall be available for public review at the following offices of the Division of Air Pollution Control:

- (1) Director's Office, Division of Air Pollution Control, Fort Boone Plaza, 18 Reilly Road, Frankfort, Kentucky 4060, (502) 564- 3382;
- (2) Ashland Regional Office, 3700 Thirteenth Street, Ashland, Kentucky 41101, (606) 325-8569;
- (3) Bowling Green Regional Office, 1508 Western Avenue, Bowling Green, Kentucky 42101, (502) 842-8131;
- (4) Florence Regional Office, 7964 Kentucky Drive, Suite 8, Florence, Kentucky 41042, (606) 292-6411;
- (5) Hazard Regional Office, 233 Birch St., Hazard, Kentucky 41701, (606) 439-2391;
- (6) Owensboro Regional Office, 31 West Second Street, Owensboro, Kentucky 423-1, (502) 686-3304; and
- (7) Paducah Regional Office, 1390 Irvin Cobb Drive, Paducah, Kentucky 42001, (502) 444-8295.

Effective Date: October 26, 1988

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JUN 29, 1979	DEC 24, 1980	45 FR 84999
		JAN 25, 1980	45 FR 6092
		JUL 12, 1982	47 FR 30059
1st Revision	SEP 19, 1986	MAY 04, 1989	54 FR 19169
2nd Revision	MAR 23, 1987	APR 08, 1988	53 FR 11655
3rd Revision	FEB 09, 1989	NOV 09, 1989	54 FR 47077
4th Revision	JUL 07, 1988	FEB 07, 1990	55 FR 4169